

## UNITED STATES PATENT AND TRADEMARK OFFICE

## UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

Paper No.

6147 c 12/28/2006 GENERAL ELECTRIC COMPANY GLOBAL RESEARCH PATENT DOCKET RM. BLDG. K1-4A59 NISKAYUNA, NY 12309

Application No.:	10/810,427	Date Mailed:	12/28/2006
First Named Inventor:	Kliman, Gerald, Burt	Examiner:	CAZAN, LIVIUS RADU
Attorney Docket No.:	RD-28,364-3	Art Unit:	3729
Confirmation No.:	9782	Filing Date:	03/29/2004

Please find attached an Office communication concerning this application or proceeding.

## Application No. Applicant(s) Notice of Non-Compliant Amendment 10/810,427 KLIMAN ÈT AL. (37 CFR 1.121) Art Unit 2800

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

rec	amendment document filed on <u>04 December</u> , <u>2006</u> is considered non-compliant because it has failed to meet the uirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following n(s) is required.
TH	E FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:  1. Amendments to the specification:  A. Amended paragraph(s) do not include markings.  B. New paragraph(s) should not be underlined.  C. Other
	□ 2. Abstract:         □ A. Not presented on a separate sheet. 37 CFR 1.72.         □ B. Other
	<ul> <li>□ 3. Amendments to the drawings:</li> <li>□ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).</li> <li>□ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.</li> <li>□ C. Other</li> </ul>
	<ul> <li>✓ 4. Amendments to the claims:</li></ul>
	5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4): For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIN 1.	IE PERIODS FOR FILING A REPLY TO THIS NOTICE:  Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance, or a drawing submission (only) if applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
2.	Applicant is given <b>one month</b> , or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1 to 4 are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.
	Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.  Failure to timely respond to this notice will result in:
	Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action, or Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.
l er	ral Instruments Examiner (LIE), if applicable CORALIA - RETANCOLIRT Telephone No. (571) 272-0509